

# Metacarpal Bones

---

## Metacarpal Bones

---

### General Features

- Five miniature long bones forming the skeleton of the **palm**.
  - Numbered **I to V** (thumb to little finger).
  - Each has:
    - **Base (proximal end)** ? articulates with carpal bones.
    - **Shaft** ? slightly curved, dorsal surface convex.
    - **Head (distal end)** ? rounded, forms knuckles, articulates with phalanges.
- 

### Special Notes

- **First metacarpal**
    - Short, stout, more mobile.
    - Base is **saddle-shaped** ? articulates with trapezium (carpometacarpal joint of thumb).
    - Responsible for opposability of thumb.
  - **Second metacarpal** ? largest.
  - **Third metacarpal** ? has styloid process on its base.
  - **Fifth metacarpal** ? base has facet for hamate.
-

---

# Clinical Anatomy of Metacarpals

---

- **Fractures**
  - **Boxer's fracture** ? fracture of neck of 5th metacarpal (from punching injury).
  - **Bennett's fracture** ? fracture dislocation at base of 1st metacarpal (thumb), involves carpometacarpal joint.
  - **Rolando's fracture** ? comminuted intra-articular fracture at base of 1st metacarpal.
- **Knuckle prominence** ? formed by heads of metacarpals, useful in surface anatomy.
- **Congenital anomalies** ? shortening of 4th and 5th metacarpals in **pseudohypoparathyroidism** (Albright's hereditary osteodystrophy).

---

## Ossification of Metacarpals

---

- Each metacarpal ossifies from **two centers** (shaft and head/base).
- **Primary center**: shaft, appears in **9th week intrauterine life**.
- **Secondary centers**:
  - For **head** in metacarpals II–V.
  - For **base** in metacarpal I (thumb).
- Time of appearance ? around **2 years of age**.
- Fusion with shaft ? between **15–18 years**.
- Thus, metacarpals have **2 centers each** (except 1st, where secondary center is in base).