

Superior Vena Cava, Aorta and Pulmonary Trunk

Introduction

- The **superior vena cava (SVC)** returns **deoxygenated blood** from the **head and neck, upper limbs, and thorax** to the **right atrium**.
- The **aorta** and **pulmonary trunk** are the two major **arterial outflow tracts** of the heart, both derived embryologically from a **single truncus arteriosus**.
- These great vessels lie closely related at the root of the heart

bd-chaurasias-human-anatomy-vol...

.

Superior Vena Cava (SVC)

Formation

- Formed by the union of **right and left brachiocephalic (innominate) veins** behind the **lower border of the first right costal cartilage**, near the sternum.
- Each brachiocephalic vein = internal jugular + subclavian vein

bd-chaurasias-human-anatomy-vol...

.

Course

- About **7 cm long**.
 - Begins behind the lower border of the 1st right costal cartilage, pierces the pericardium opposite the 2nd, and opens into the **right atrium** behind the **3rd right costal cartilage**.
 - **No valves** present
- bd-chaurasias-human-anatomy-vol...

Relations

- **Anterior:** Chest wall, internal thoracic vessels, right lung and pleura.
 - **Posterior:** Trachea, right vagus nerve, root of right lung.
 - **Medial:** Ascending aorta, brachiocephalic artery.
 - **Lateral:** Right phrenic nerve, right pleura and lung
- bd-chaurasias-human-anatomy-vol...

Tributaries

- **Azygos vein** (arches over right lung root).
- **Small mediastinal and pericardial veins.**

Aorta

Parts

1. **Ascending Aorta**
2. **Arch of Aorta**
3. **Descending Thoracic Aorta**

bd-chaurasias-human-anatomy-vol...

.

Ascending Aorta

- **Origin:** Upper end of left ventricle, enclosed in pericardium.
- **Length:** ~ 5 cm.
- **Course:** Upward, forward, to the right ? becomes **arch of aorta** at upper border of 2nd right costal cartilage.
- **Relations:**
 - *Anterior:* Sternum, right lung and pleura, RV infundibulum, pulmonary trunk, right auricle.
 - *Posterior:* Transverse pericardial sinus, LA, right pulmonary artery, right bronchus.
 - *Right side:* SVC, right atrium.
 - *Left side:* Pulmonary trunk (above), LA (below).
- **Branches:**
 - *Right coronary artery* — from anterior aortic sinus.
 - *Left coronary artery* — from left posterior aortic sinus

Arch of Aorta

- **Course:** Upward, backward, then downward behind left bronchus to continue as descending aorta.
- **Branches (“ABC’S” Mnemonic):**
 - **A** – Aortic arch
 - **B** – Brachiocephalic trunk
 - **C** – Left Common Carotid
 - **S** – Left Subclavian

Descending Thoracic Aorta

- Lies in posterior mediastinum; gives **posterior intercostal, bronchial, oesophageal, pericardial, superior phrenic arteries.**

Pulmonary Trunk

- **Origin:** From **right ventricle.**

- **Course:** Ascends obliquely upward, backward, left; divides into **right and left pulmonary arteries** carrying **deoxygenated blood to lungs**.

- **Relations with Aorta (Triple Relationship):**

- At the heart base ? pulmonary trunk lies **anterior** to ascending aorta.
- At upper heart border ? lies **left** of aorta.
- Above that ? right pulmonary artery lies **posterior** to ascending aorta

bd-chaurasias-human-anatomy-vol...

.

- **Development:** Pulmonary trunk + ascending aorta both arise from **truncus arteriosus**.

Development

- **Superior Vena Cava:** Upper half from *caudal part of right anterior cardinal vein*.

- **Arch of Aorta:** Left aortic sac + 4th aortic arch + left dorsal aorta.

- **Pulmonary Trunk:** Derived from *truncus arteriosus*

bd-chaurasias-human-anatomy-vol...

bd-chaurasias-human-anatomy-vol...

.

Clinical Anatomy

- **SVC Obstruction above azygos opening:** Venous return via azygos vein ? dilated chest veins up to costal margin.
- **SVC Obstruction below azygos opening:** Blood drains to IVC through thoraco-epigastric veins ? veins dilated on chest and abdomen.
- **Mediastinal syndrome:** Early signs = SVC obstruction (supraclavicular venous engorgement)

bd-chaurasias-human-anatomy-vol...

.

- **Patent Ductus Arteriosus (PDA):** Persistent connection between left pulmonary artery and aortic arch ? continuous “machinery murmur” at 2nd left intercostal space; treated surgically

bd-chaurasias-human-anatomy-vol...

.

Facts to Remember

- **SVC:** Second largest vein of body.
- **Aorta:** Largest elastic artery; transitions to muscular type in branches.
- **Pulmonary trunk:** Arises from right ventricle; divides into two arteries carrying deoxygenated blood.
- **Aorta & Pulmonary trunk:** Common origin – *truncus arteriosus*.

- **Triple relation:** Pulmonary trunk (anterior) ? left of aorta ? right pulmonary artery posterior

AORTA

- The **aorta** is the **great arterial trunk** of the systemic circulation.
- It carries **oxygenated blood from the left ventricle** to all parts of the body.
- It is divided into three parts:
 1. **Ascending aorta**
 2. **Arch of aorta**
 3. **Descending thoracic aorta**

ASCENDING AORTA

Origin and Course

- Begins from the **upper end of the left ventricle** behind the **left half of the sternum** at the **lower border of the 3rd costal cartilage**.
- About **5 cm long**, enclosed within the **pericardium**.
- It runs **upward, forward, and to the right**, ending at the **upper border of the 2nd right costal cartilage** to continue as the **arch of aorta**

Aortic Sinuses

- At its root, the wall of the aorta shows **three dilatations** — the **aortic sinuses**:
 - **Anterior sinus** ? gives rise to **Right Coronary Artery**
 - **Left posterior sinus** ? gives rise to **Left Coronary Artery**
 - **Right posterior sinus** ? no branch

Relations

- **Anterior:** Sternum, right lung and pleura, infundibulum of right ventricle, pulmonary trunk, right auricle.
- **Posterior:** Transverse sinus of pericardium, left atrium, right pulmonary artery, right bronchus.
- **Right side:** Superior vena cava and right atrium.
- **Left side:** Pulmonary trunk (above) and left atrium (below).

Branches

- **Right coronary artery** from anterior aortic sinus.
- **Left coronary artery** from left posterior aortic sinus.

ARCH OF AORTA

Extent and Course

- Continuation of the ascending aorta; lies in **superior mediastinum** behind **manubrium sterni**.
- Begins behind **upper border of 2nd right sternocostal joint**, arches **upward, backward, and to the left** over the **root of left lung**, ending at the **lower border of 4th thoracic vertebra** where it continues as **descending thoracic aorta**

bd-chaurasias-human-anatomy-vol...

.

Relations

Anterior and to the Left:

- Four nerves (from before backward):
 1. Left phrenic nerve
 2. Lower cervical cardiac branch of left vagus
 3. Superior cervical cardiac branch of left sympathetic chain
 4. Left vagus nerve
- Left superior intercostal vein
- Left pleura and lung
- Remains of thymus

Posterior and to the Right:

- Trachea, deep cardiac plexus, tracheobronchial lymph nodes
- Esophagus
- Left recurrent laryngeal nerve
- Thoracic duct
- Vertebral column

Superior:

- Branches of arch (brachiocephalic, left common carotid, left subclavian) — all crossed by **left brachiocephalic vein**.

Inferior:

- Bifurcation of pulmonary trunk, left bronchus, ligamentum arteriosum, and superficial cardiac plexus.

Branches

1. **Brachiocephalic artery** ? divides into right common carotid and right subclavian.
2. **Left common carotid artery**
3. **Left subclavian artery**

Mnemonic: “ABC’s of Aortic Arch”

A – Arch of aorta

B – Brachiocephalic trunk

C – Left Common carotid artery

DESCENDING THORACIC AORTA

Extent

- Begins at **lower border of T4 vertebra** and ends at **T12**, where it passes through **aortic opening of diaphragm** to become the **abdominal aorta**

bd-chaurasias-human-anatomy-vol...

.

Relations

- **Anterior:** Root of left lung, pericardium, esophagus.
- **Posterior:** Vertebral column, hemiazygos veins.
- **Right side:** Esophagus, thoracic duct, azygos vein.
- **Left side:** Left pleura and lung.

Branches

- **Visceral:**
 - Bronchial arteries (one right, two left)
 - Esophageal arteries
 - Pericardial branches
- **Parietal:**

- Posterior intercostal arteries (3rd–11th spaces)
 - Subcostal arteries
 - Superior phrenic arteries
-

CLINICAL ANATOMY

- **Aortic Knuckle:**

- Seen on chest X-ray as a **projection beyond the left mediastinal margin** — more prominent in elderly individuals

bd-chaurasias-human-anatomy-vol...

.

- **Coarctation of Aorta:**

- Congenital **narrowing opposite or just distal to the ductus arteriosus**.
- Causes **rib notching** due to enlarged intercostal arteries forming collateral circulation.

- **Ductus Arteriosus & Ligamentum Arteriosum:**

- In fetal life, ductus arteriosus connects **left pulmonary artery** to **arch of aorta** (distal to left subclavian).
- After birth, it closes to form **ligamentum arteriosum**.
- **Patent Ductus Arteriosus (PDA):** Persistence after birth ? left-to-right shunt, continuous machinery murmur.

- **Aortic Arch Aneurysm:**

- Localized dilatation that can compress **left recurrent laryngeal nerve** ?
hoarseness, dyspnea, dysphagia (Mediastinal Syndrome)

Pulmonary Trunk

- The **pulmonary trunk** is a **wide arterial vessel** that carries **deoxygenated blood** from the **right ventricle** to the lungs.
- **Origin:** From the **summit of the infundibulum (conus arteriosus)** of the right ventricle.
- **Length:** About **5 cm**; enclosed with the ascending aorta in a **common sleeve of serous pericardium**.
- **Position:** Lies **anterior** to the ascending aorta at its origin and overlies it.
- **Course:**
 - Runs **upward, backward, and to the left**.
 - Divides under the concavity of the aortic arch (at the **sternal angle**) into **right and left pulmonary arteries**.

Right Pulmonary Artery

- Passes **behind ascending aorta and superior vena cava, in front of esophagus**.
- Gives first branch to the **upper lobe of right lung** before entering the hilum.

Left Pulmonary Artery

- Passes in front of descending thoracic aorta to reach the left lung hilum.
 - Connected to the inferior surface of the aortic arch by the ligamentum arteriosum, a remnant of ductus arteriosus.
-

Development of Arteries

- **Brachiocephalic Artery:** From right aortic sac.
- **Right Subclavian Artery:**
 - Proximal part ? right 4th aortic arch.
 - Distal part ? right 7th cervical intersegmental artery.
- **Left Subclavian Artery:** From left 7th cervical intersegmental artery.
- **Common Carotid Artery:** From third aortic arch and adjacent dorsal aorta.
- **External Carotid Artery:** As a sprout from the third aortic arch.
- **Pulmonary Trunk:** From truncus arteriosus.
- **Arch of Aorta:** From left aortic sac + left 4th aortic arch + left dorsal aorta.

Relation to Recurrent Laryngeal Nerve:

- **Left side:** Distal part of 6th aortic arch forms ligamentum arteriosum ? left recurrent laryngeal nerve hooks around it in thorax.
- **Right side:** Distal part disappears ? right recurrent laryngeal nerve hooks around right subclavian artery in neck

Development of Superior Vena Cava (SVC)

- **Upper half (extrapericardial):** From **caudal part of right anterior cardinal vein**.
- **Lower half (intrapericardial):** From **right common cardinal vein**.
- **Coronary sinus:** From **left horn of sinus venosus**, receiving **great, middle, and small cardiac veins**

Key Facts

- **Pulmonary trunk and ascending aorta** develop from the **truncus arteriosus** (common embryonic origin).
- They exhibit a **triple relationship**:
 1. Close to heart ? pulmonary trunk **anterior** to aorta.
 2. At heart's upper border ? pulmonary trunk **left** of aorta.
 3. Above ? right pulmonary artery **posterior** to ascending aorta