

Rotator Cuff & Intermuscular Spaces

Rotator Cuff (SITS Muscles)

Components

- **S**upraspinatus
- **I**nfraspinatus
- **T**eres minor
- **S**ubscapularis

Attachments

- Surround head of humerus and blend with shoulder joint capsule.

Functions

- Stabilize humeral head in glenoid cavity.
- Provide dynamic support during movements.
- Individual actions:
 - Supraspinatus ? initiates abduction (0–15°).
 - Infraspinatus + Teres minor ? lateral rotation.
 - Subscapularis ? medial rotation, adduction.

Clinical Anatomy

- **Rotator cuff tear** (most commonly supraspinatus tendon) ? painful abduction.
- **Painful arc syndrome** ? pain in 60–120° abduction.
- Weakness of rotation depending on tendon involved.
- Clinical tests:
 - Empty can test (supraspinatus).
 - External rotation test (infraspinatus/teres minor).
 - Lift-off test (subscapularis).

Intermuscular Spaces of the Scapular Region

1. Quadrangular Space

- **Boundaries:**
 - Above ? teres minor.
 - Below ? teres major.
 - Medial ? long head of triceps.
 - Lateral ? surgical neck of humerus.
- **Contents:**

- Axillary nerve.
- Posterior circumflex humeral artery & vein.

- **Clinical:**

- Axillary nerve injury here ? deltoid paralysis, regimental badge anesthesia.
-

2. Upper Triangular Space

- **Boundaries:**

- Above ? teres minor.
- Below ? teres major.
- Lateral ? long head of triceps.

- **Contents:**

- Circumflex scapular artery.

- **Clinical:**

- Important part of scapular anastomosis.
-

3. Lower Triangular Space (Triangular Interval)

- **Boundaries:**

- Above ? teres major.
- Medial ? long head of triceps.
- Lateral ? lateral head of triceps/humerus.

- **Contents:**

- Radial nerve.
- Profunda brachii artery.

- **Clinical:**

- Radial nerve vulnerable here ? wrist drop if injured.

Dissection of Scapular Region (Rotator Cuff + Spaces)

Step 1: Exposure

- Incise skin over scapula and shoulder.
- Reflect skin and superficial fascia to expose deltoid.

Step 2: Reflect Deltoid

- Cut deltoid near its origin and reflect laterally.
- This exposes underlying **rotator cuff muscles** (supraspinatus, infraspinatus, teres minor, subscapularis).

Step 3: Identification of Muscles

- Above spine ? supraspinatus.
- Below spine ? infraspinatus.
- Lateral border ? teres minor (superior), teres major (inferior).
- Anterior scapula ? subscapularis.

Step 4: Expose Intermuscular Spaces

- Trace long head of triceps between teres minor and teres major ? forms medial boundary of quadrangular and triangular spaces.
- Identify contents:
 - Axillary nerve and posterior circumflex humeral vessels in quadrangular space.
 - Circumflex scapular artery in upper triangular space.
 - Radial nerve and profunda brachii artery in lower triangular space.

Step 5: Clinical Demonstration

- Palpate for posterior shoulder injuries involving axillary nerve.
- Demonstrate overhead abduction ? showing rotator cuff stabilization.